

برگشت (/IACLD/Panel/Labs/Answers/32165)

دوره چهل و چهارم زمستان 1401

S2 Results

نمونه مجهول ToRCH

کد نمونه 1064	EQAP-18136	آزمایشگاه پاتوبیولوژی و ژنتیک رصد
---------------	------------	-----------------------------------

Anti-CMV (IgG)

Anti-HSV1 (Anti-Herpes Type1 IgG)

Anti-Rubella (IgG)

Anti-Toxoplasma (IgG)

Anti-CMV (IgG)

جدول شماره 1. توزیع فراوانی نتایج گزارش شده توسط شرکت کنندگان بر اساس روش

تذکر. نتیجه مورد قبول برای این آزمایش پاسخ + بوده است. نتیجه ارائه شده توسط آزمایشگاه شما با علامت ← مشخص شده است.

- ثبت نام کنندگان 207
- شرکت کنندگان 185
- کل درصد مشارکت 89.37%
- پاسخهای دریافتی 161
- درصد پاسخدهی 87.03%

Method	Count				Percent		
	Total	Positive	Indeterminate	Negative	Positive	Indeterminate	Negative
CL	56	54	0	2	%96.43	%0.00	%3.57
ECL	29	28	1	0	%96.55	%3.45	%0.00
ELFA	23	22	0	1	%95.65	%0.00	%4.35
ELISA	52	49	2	1	%94.23	%3.85	%1.92
Immunochromatography	0	0	0	0	%0.00	%0.00	%0.00
Other	1	1	0	0	%100.00	%0.00	%0.00

Method	Kit	Result	Count	Your Answer
CL	Not Reported	Negative	1	
CL	Not Reported	Positive	1	
CL	Abbott	Positive	9	
CL	Architect	Positive	4	
CL	Autobio Diagnostic	Positive	2	

Method	Kit	Result	Count	Your Answer
CL	Dia Sorin	Positive	22	←
CL	Liaison	Not Reported	1	
CL	Liaison	Positive	6	
CL	Maglumi	Positive	2	
CL	Ortho	Positive	1	
CL	Siemens	Negative	1	
CL	Siemens	Positive	7	
ECL	Abbott	Positive	1	
ECL	Architect	Positive	3	
ECL	Chorus	Positive	1	
ECL	Dia Sorin	Positive	3	
ECL	Liaison	Positive	2	
ECL	Roche	Positive	18	
ECL	Siemens	Indeterminate	1	
ELFA	Not Reported	Positive	1	
ELFA	Biomerieux	Positive	21	
ELFA	Chorus	Negative	1	
ELISA	Not Reported	Positive	1	
ELISA	Chorus	Indeterminate	1	
ELISA	Chorus	Positive	5	
ELISA	Euroimmun	Positive	1	
ELISA	Pishtaz Teb	Indeterminate	1	
ELISA	Pishtaz Teb	Negative	1	
ELISA	Pishtaz Teb	Positive	37	
ELISA	Vircell	Positive	5	
Other	Not Reported	Positive	1	