

برگشت (/IACLD/Panel/Labs/Answers/32165)

دوره چهل و چهارم زمستان 1401

S2 Results

نمونه مجهول ToRCH

کد نمونه 1064	EQAP-18136	آزمایشگاه پاتوبیولوژی و ژنتیک رصد
---------------	------------	-----------------------------------

Anti-CMV (IgG)

Anti-HSV1 (Anti-Herpes Type1 IgG)

Anti-Rubella (IgG)

Anti-Toxoplasma (IgG)

Anti-Rubella (IgG)

جدول شماره 1. توزیع فراوانی نتایج گزارش شده توسط شرکت کنندگان بر اساس روش

تذکر. نتیجه مورد قبول برای این آزمایش پاسخ + بوده است. نتیجه ارائه شده توسط آزمایشگاه شما با علامت ← مشخص شده است.

- ثبت نام کنندگان 207
- شرکت کنندگان 185
- کل درصد مشارکت 89.37%
- پاسخهای دریافتی 181
- درصد پاسخدهی 97.84%

Method	Count				Percent		
	Total	Positive	Indeterminate	Negative	Positive	Indeterminate	Negative
CL	54	54	0	0	%100.00	%0.00	%0.00
ECL	33	33	0	0	%100.00	%0.00	%0.00
ELFA	25	25	0	0	%100.00	%0.00	%0.00
ELISA	67	65	1	1	%97.01	%1.49	%1.49
Immunochromatography	0	0	0	0	%0.00	%0.00	%0.00
Other	2	2	0	0	%100.00	%0.00	%0.00

Method	Kit	Result	Count	Your Answer
CL	Abbott	Positive	9	
CL	Architect	Positive	4	
CL	Autobio Diagnostic	Positive	4	
CL	Dia Sorin	Positive	21	←
CL	Liaison	Not Reported	1	

Method	Kit	Result	Count	Your Answer
CL	Liaison	Positive	4	
CL	Maglumi	Positive	2	
CL	Ortho	Positive	1	
CL	Roche	Positive	1	
CL	Siemens	Positive	8	
ECL	Abbott	Positive	2	
ECL	Architect	Positive	3	
ECL	Autobio Diagnostic	Positive	1	
ECL	Biomerieux	Positive	1	
ECL	Cobas	Positive	1	
ECL	Dia Sorin	Positive	4	
ECL	Liaison	Positive	2	
ECL	Roche	Not Reported	1	
ECL	Roche	Positive	18	
ECL	Siemens	Positive	1	
ELFA	Biomerieux	Positive	24	
ELFA	Chorus	Positive	1	
ELISA	Not Reported	Positive	1	
ELISA	Chorus	Positive	6	
ELISA	Diesse-Tec	Positive	1	
ELISA	Euroimmun	Positive	1	
ELISA	Padtan Teb	Positive	1	
ELISA	Pishtaz Teb	Indeterminate	1	
ELISA	Pishtaz Teb	Negative	1	
ELISA	Pishtaz Teb	Positive	51	
ELISA	Vircell	Positive	4	
Other	Not Reported	Positive	1	
Other	Chorus	Positive	1	